

**Nota: Este documento contiene imágenes en mal estado.**

ECC HURRICANE SHELTERS

NAME OF BUILDING: Sarkem Primary School NO: 2 OF 2

HEIGHT: (a) Stories 1 (b) Metres 3.66

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	31.50				
Width	8.22				
Area					
Total Area	261.40	Comments:			
Approx Value	\$255,000.00				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members		<input checked="" type="checkbox"/>			G
Secondary "		<input checked="" type="checkbox"/>			G
Material	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding				Asbestos Cement	F

WALLS

	Stone Masonry	Concrete Block	Timber	Other (state)	Condition (G F P)
Exterior		✓			
Interior		✓			
Thickness		200			

Distance between supports: (a) Vertically (m) ..... (b) Horizontally (m).....

WINDOWS

Size d x b	No	Materials	Condition (G F P)
<i>1.5 x 2.0</i>	<i>5</i>	<i>1/2" Ply on frame steel</i>	<i>F</i>
<i>1.5 x 4.5</i>	<i>1</i>	<i>3/8" plate</i>	<i>S</i>
<i>1.5 x 7.0</i>	<i>4</i>	<i>" "</i>	<i>G</i>

HURRICANE SHUTTERS YES: ..... NO: ..... Condition (G F P)

If required, state whether (sketch preferred):

YES

- (a) Side hung
- (b) Top hung
- (c) Inside hung  *Minimum 2x4 studs on frame*
- (d) Outside hung
- (e) One leaf
- (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)
<i>1.5 x 2.0</i>	<i>2</i>	<i>2x4 studs</i>	<i>S</i>
<i>1.5 x 7.0</i>	<i>1</i>	<i>2x4 studs</i>	<i>P</i>

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor		<i>150</i>		
1st Floor				
2nd Floor				

ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure	<i>200 x 75</i>	<i>—</i>		<i>6</i>

Shape:

Slope (°):

Fixings:

- |                  |                 |   |
|------------------|-----------------|---|
| (a) Hip          | (a) 0° - 12°    | (a) Primary <i>Concrete reinforcement</i> |
| (b) Gable v      | (b) 12° - 25° ✓ | (b) Secondary .....                       |
| (c) Monopitch    | (c) 26° - 35°   | (c) Sheeting <i>Seams</i>                 |
| (d) Flat         | (d) 35°         | (d) *Comments .....                       |
| (e) *Other ..... |                 |   |

\*Comments/other (state) .....

Overhangs (m) (a) Eaves *0.40* (b) Gable End ~~0.30~~ *0.30*

SANITATION

M F

- |                    |       |       |
|--------------------|-------|-------|
| No. of (a) toilets | ..... | ..... |
| (b) washbasins     | ..... | ..... |
| (c) showers        | ..... | ..... |

Water Tank:

- (a) material: .....
- (b) capacity in litres: .....
- (c) gravity fed: Yes ..... No .....
- (d) condition: .....
- (e) comments : .....

KITCHEN FACILITIES

- (a) Approximate size: .....
- (b) Equipment: .....
- .....
- .....

Type of cookers: Gas ..... Electric ..... Other (state) .....

(if gas, state no. of days storage) .....

STANDBY POWER

Length of time fuel would last: .....

STORE ROOM

- |                        | YES                      | NO                       |
|------------------------|--------------------------|--------------------------|
| Minimum 2 cubic metres | <input type="checkbox"/> | <input type="checkbox"/> |
| Permanently available  | <input type="checkbox"/> | <input type="checkbox"/> |
| Temporarily available  | <input type="checkbox"/> | <input type="checkbox"/> |

ECC HURRICANE SHELTERS

NAME OF BUILDING: Glenville Primary School NO: \_\_\_\_\_ OF \_\_\_\_\_

HEIGHT: (a) Stories 1 (b) Metres 3.2

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	<u>375</u>				
Width	<u>72</u>				
Area	<u>270 m<sup>2</sup></u>				
Total Area	<u>321.47</u>	Comments:			
Approx Value	<u>300,000.00</u>				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				<u>G</u>
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members			<input checked="" type="checkbox"/>		<u>G</u>
Secondary "			<input checked="" type="checkbox"/>		<u>G</u>
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding			<input checked="" type="checkbox"/>		<u>G</u>

WALLS

	Stone Masonry	Concrete Block	Timber	Other (state)	Condition (G F P)
Exterior		✓		Steel on side	Good
Interior		✓	folding latched		
Thickness		150			

Distance between supports: (a) Vertically (m) 2.34... (b) Horizontally (m) 7.3...

WINDOWS

Size d x b	No	Materials	Condition (G F P)
1.6 x 3.60	6	metal leaves	F F
0.4 x 0.8	1	wood	G
1.2 x 1.3	10	metal leaves	F

HURRICANE SHUTTERS YES: ..... NO: ..✓..... Condition (G F P)

If required, state whether (sketch preferred):

YES

- (a) Side hung
- (b) Top hung
- (c) Inside hung
- (d) Outside hung
- (e) One leaf
- (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)
1.2 x 2.0	5	metal leaves	F G

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor		150		
1st Floor				
2nd Floor				

ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure	Tapestry 016-032 x 015	not seen ?		12d 7 07mm

Shape:

Slope (°):

Fixings:

- |                  |                |                     |
|------------------|----------------|---------------------|
| (a) Hip          | (a) 0° - 12° ✓ | (a) Primary .....   |
| (b) Gable ✓      | (b) 12° - 25°  | (b) Secondary ..... |
| (c) Monopitch    | (c) 26° - 35°  | (c) Sheeting .....  |
| (d) Flat         | (d) 35°        | (d) *Comments ..... |
| (e) *Other ..... |                |                     |

\*Comments/other (state).....

Overhangs (m) (a) Eaves ..... 1.83 ..... (b) Gable End .....

SANITATION

M F

No. of (a) toilets ..... 2 ..... 5 .....

(b) washbasins ..... 5 ..... 5 .....

(c) showers ..... .....

3 urinals

Water Tank:

- (a) material: DC Aluminium .....
- (b) capacity in litres: 324, 570 approx .....
- (c) gravity fed: Yes ✓ No ..... Gravity tank leaking
- (d) condition: Good .....
- (e) comments: No pump installed .....

KITCHEN FACILITIES

- (a) Approximate size: 7.5 x 7.2 - 54 m<sup>2</sup> .....
- (b) Equipment: 2 gas cookers, 1 fridge  
not enough utensils, 1 sink .....
- Type of cookers: Gas ✓ Electric ..... Other (state) .....
- (if gas, state no. of days storage) .....

STANDBY POWER

Length of time fuel would last: No standby .....

STORE ROOM

	YES	NO
Minimum 2 cubic metres	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Permanently available	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Temporarily available	<input checked="" type="checkbox"/>	<input type="checkbox"/>

ECC HURRICANE SHELTERS

NAME OF BUILDING: 111 S. ... NO: 1 OF 2

HEIGHT: (a) Stories 1 (b) Metres 2.67

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	<u>37.49</u> <u>2.22</u>				
Width	<u>7.34</u>				
Area	<u>275.18</u>				
Total Area		Comments:			
Approx Value	<u>275.18</u>				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G- F P)
Ground Floor	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<u>Good</u>
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members		<input checked="" type="checkbox"/>			<u>Good</u>
Secondary "		<input checked="" type="checkbox"/>			<u>Good</u>
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding			<input checked="" type="checkbox"/>		<u>Good</u>



WALLS

	Stone Masonry	Concrete Block	Timber	Other (state)	Condition (G F P)
Exterior	✓	✓			Good
Interior		✓	✓		Good
Thickness		175			

Distance between supports: (a) Vertically (m) ..... (b) Horizontally (m) .....

WINDOWS

Size d x b	No	Materials	Condition (G F P)
1.2 x 1.5	8	Aluminium	Good
1.2 x 2.1	2	Aluminium	Good
1.3 x 1.0	14	Aluminium	Good
1.27 x 1.18	7	Aluminium	Good

HURRICANE SHUTTERS YES: ..... NO: ..... Condition (G F P)

If required, state whether (sketch preferred):

- YES
- (a) Side hung
  - (b) Top hung
  - (c) Inside hung
  - (d) Outside hung
  - (e) One leaf
  - (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)
1.8 x 2.1	1	Aluminium	Good

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor		175		
1st Floor				
2nd Floor				

ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure	310 x 90	100 x 50	✓	369

Shape:

Slope (°):

Fixings:

- |                  |                |                     |
|------------------|----------------|---------------------|
| (a) Hip          | (a) 0° - 12°   | (a) Primary .....   |
| (b) Gable        | ✓(b) 12° - 25° | (b) Secondary ..... |
| (c) Monopitch    | (c) 26° - 35°  | (c) Sheeting .....  |
| (d) Flat         | (d) 35°        | (d) *Comments ..... |
| (e) *Other ..... |                |                     |

\*Comments/other (state).....  
 .....

Overhangs (m) (a) Eaves ..... 1.42 ..... (b) Gable End ..... 2.15 .....

SANITATION

M

F

No. of (a) toilets ..... 3 .....  
 (b) washbasins ..... 4 .....  
 (c) showers ..... 6 to 7 .....

*Not in use or  
 present.*

Water Tank:

- (a) material: .....  
 (b) capacity in litres: .....  
 (c) gravity fed: Yes ..... No .....  
 (d) condition: *Case (Copper)* .....  
 (e) comments: *Water tank empty* .....

KITCHEN FACILITIES

- (a) Approximate size: *4.36 x 2.43* .....  
 (b) Equipment: *No table seats etc* .....  
*5 chairs top the other equipment* .....

Type of cookers: Gas ..... Electric ..... Other (state) .....  
 (if gas, state no. of days storage) .....

STANDBY POWER

Length of time fuel would last: .....

STORE ROOM

	YES	NO
Minimum 2 cubic metres	<input type="checkbox"/>	<input type="checkbox"/>
Permanently available	<input type="checkbox"/>	<input type="checkbox"/>
Temporarily available	<input type="checkbox"/>	<input type="checkbox"/>

ECC HURRICANE SHELTERS

ALL SAINTS PRIMARY SCHOOL

NAME OF BUILDING: ALL SAINTS PRIMARY SCHOOL NO:     OF    

HEIGHT: (a) Stories 1 (b) Metres 3.5

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	37.25				
Width	8.11				
Area	306.80				
Total Area		Comments:			
Approx Value	1277,000.00				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				Good
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members		<input checked="" type="checkbox"/>			
Secondary "		<input checked="" type="checkbox"/>			
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding					

WALLS

	Stone Masonry	Concrete Block	Timber	Other(state)	Condition (G F P)
Exterior		✓			Good
Interior		✓			Good
Thickness					

Distance between supports (a) Vertically (m) ..... (b) Horizontally (m).....

WINDOWS

Size d x b	No	Materials	Condition (G F P)
1.2 x 1.2	1	Timber	Good
1.2 x 1.2	1	Timber	Good

HURRICANE SHUTTERS YES: ..... NO: ..... Condition (G F P)

If required, state whether (sketch preferred):

YES

- (a) Side hung
- (b) Top hung
- (c) Inside hung
- (d) Outside hung
- (e) One leaf
- (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)
1.2 x 1.2	1	Timber	Good

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor				
1st Floor				
2nd Floor				

ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure	200 x 100	100 x 50	—	6mm

Shape:                                  Slope (°):                                  Fixings:

(a) Hip                                      (a) 0° - 12°                                  (a) Primary .....

(b) Gable                                    (b) 12° - 25°                                (b) Secondary .....

(c) Monopitch                              (c) 26° - 35°                                (c) Sheeting .....

(d) Flat                                      (d) 35°                                        (d) \*Comments .....

(e) \*Other .....

\*Comments/other (state) .....

Overhangs (m)    (a) Eaves .....                                  (b) Gable End .....

SANITATION	M	F
No. of (a) toilets	.....	.....
(b) washbasins	.....	.....
(c) showers	.....	.....

Water Tank:

(a) material: .....

(b) capacity in litres: .....

(c) gravity fed:                  Yes .....                  No .....

(d) condition: .....

(e) comments : .....

KITCHEN FACILITIES

(a) Approximate size: .....

(b) Equipment: .....

.....

.....

Type of cookers: Gas ..... Electric ..... Other (state) .....

(if gas, state no. of days storage) .....

STANDBY POWER

Length of time fuel would last: .....

STORE ROOM

	YES	NO
Minimum 2 cubic metres	<input type="checkbox"/>	<input type="checkbox"/>
Permanently available	<input type="checkbox"/>	<input type="checkbox"/>
Temporarily available	<input type="checkbox"/>	<input type="checkbox"/>

ECC HURRICANE SHELTERS

NAME OF BUILDING: ALL SAINTS PRIMARY SCHOOL NO: 3 OF 11

HEIGHT: (a) Stories 1 (b) Metres 2.71

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	<u>22.75</u>				
Width	<u>7.24</u>				
Area	<u>167.21</u>				
Total Area	Comments:				
Approx Value					

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				<u>Good</u>
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members		<input checked="" type="checkbox"/>			<u>Good</u>
Secondary "		<input checked="" type="checkbox"/>			<u>Good</u>
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding			<input checked="" type="checkbox"/>		<u>Good</u>

WALLS

	Stone Masonry	Concrete Block	Timber	Other (state)	Condition (G F P)
Exterior					G
Interior					
Thickness					

Distance between supports: (a) Vertically (m) ..... (b) Horizontally (m) .....

WINDOWS

Size d x b	No	Materials	Condition (G F P)

HURRICANE SHUTTERS YES: ..... NO: ..... Condition (G F P)

If required, state whether (sketch preferred):

YES

- (a) Side hung
- (b) Top hung
- (c) Inside hung
- (d) Outside hung
- (e) One leaf
- (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor				
1st Floor				
2nd Floor				





ECC HURRICANE SHELTERS

NAME OF BUILDING: ALL SAINTS PRIMARY SCHOOL NO: 1 OF 4

HEIGHT: (a) Stories 1 (b) Metres 17'

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	<u>12.75</u>				
Width	<u>5.12</u>				
Area	<u>65.17</u>				
Total Area		Comments:			
Approx Value	<u>\$101,032.00</u>				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members		<input checked="" type="checkbox"/>			
Secondary "		<input checked="" type="checkbox"/>			
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding					<u>Steel</u>

WALLS

	Stone Masonry	Concrete Block	Timber	Other(state)	Condition (G F P)
Exterior		✓			Good
Interior		✓			"
Thickness		150			

Distance between supports: (a) Vertically (m) 2.53 (b) Horizontally (m) 6.2

WINDOWS

Size d x b	No	Materials	Condition (G F P)
1.5 x 1.5	1	Timber frame	Good
1.5 x 1.5	2	Timber frame	Good
1.5 x 1.5	1	Timber frame	Good
1.5 x 1.5	1	Timber frame	Good
1.5 x 1.5	1	Timber frame	Good
1.5 x 1.5	1	Timber frame	Good

HURRICANE SHUTTERS YES: 3 NO: 3 Condition (G F P)

If required, state whether (sketch preferred):

YES

- (a) Side hung
- (b) Top hung
- (c) Inside hung
- (d) Outside hung
- (e) One leaf
- (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)
1.5 x 1.5	1	Timber	

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor		150		
1st Floor				
2nd Floor				

ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure				

- Shape:    Slope (°):    Fixings:
- (a) Hip    (a) 0° - 12°    (a) Primary .....
  - (b) Gable     (b) 12° - 25°    (b) Secondary .....
  - (c) Monopitch                                    (c) 26° - 35°    (c) Sheeting .....
  - (d) Flat    (d) 35°    (d) \*Comments .....
  - (e) \*Other .....

\*Comments/other (state) .....

Overhangs (m)    (a) Eaves    ... 1.45    (b) Gable End    ... 3

SANITATION	M	F
No. of (a) toilets	.....	.....
(b) washbasins	.....	.....
(c) showers	.....	.....

- Water Tank:
- (a) material: .....
  - (b) capacity in litres: .....
  - (c) gravity fed:            Yes .....    No .....
  - (d) condition: .....
  - (e) comments : .....

KITCHEN FACILITIES

- (a) Approximate size: .....
- (b) Equipment: .....
- .....
- .....
- Type of cookers: Gas .....    Electric .....    Other (state) .....
- (if gas, state no. of days storage) .....

STANDBY POWER

Length of time fuel would last: .....

STORE ROOM

	YES	NO
Minimum 2 cubic metres	<input type="checkbox"/>	<input type="checkbox"/>
Permanently available	<input type="checkbox"/>	<input type="checkbox"/>
Temporarily available	<input type="checkbox"/>	<input type="checkbox"/>

ECC HURRICANE SHELTERS

NAME OF BUILDING: All Saints Secondary Hall NO: 1 OF 2

HEIGHT: (a) Stories 1 (b) Metres 4.6

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	<u>24.71</u>				
Width	<u>15.25</u>				
Area	<u>376.83</u>				
Total Area		Comments:			
Approx Value	<u>\$300,000.00</u>				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				<u>Good</u>
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members	<input checked="" type="checkbox"/>				<u>Good</u>
Secondary "					<u>Good</u>
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding	<input checked="" type="checkbox"/>				<u>Good</u>

WALLS

	Stone Masonry	Concrete Block	Timber	Other(state)	Condition (G F P)
Exterior		✓			Good
Interior		✓			Good
Thickness		150			

Distance between supports. (a) Vertically (m) 3.20.. (b) Horizontally (m) 4.5

WINDOWS


Size d x b	No	Materials	Condition (G F P)
3.27 x 4.45	3	louvre block	Good
1.0 x 2.28	5	Fixed glass pane	Good
1.12 x 4.60	2	metal louvre	Fair only
2.2 x 0.92	2	" "	Good
2.5 x 1.82	2	" "	Good
2.1 x 4.57	1	" "	"

HURRICANE SHUTTERS YES: ..... NO: ...✓..... Condition (G F P)

If required, state whether (sketch preferred):

- (a) Side hung
- (b) Top hung
- (c) Inside hung
- (d) Outside hung
- (e) One leaf
- (f) Two leaves

YES



provide shutters to solid glass  
fixed louvre & louvre blocks  
of solid glass as shown above

DOORS

Size d x b	No	Materials	Condition (G F P)
2.4 x 4.5	1	Folding timber louvre	Fair
4.4 x 0.8	1	Solid x-gal steel timber	Good
1.2 x 0.8	1	Solid glass	Good

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor		125		
1st Floor				
2nd Floor				

ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure	<i>folded plate roof.</i>		<i>2 1/2" 90</i>	

- Shape:    Slope (°):    Fixings:
- (a) Hip    (a) 0° - 12°    (a) Primary .....
- (b) Gable    (b) 12° - 25°    (b) Secondary .....
- (c) Monopitch    (c) 26° - 35°    (c) Sheeting .....
- (d) Flat    (d) 35°    (d) \*Comments .....
- (e) \*Other .....

\*Comments/other (state).....

Overhangs (m)    (a) Eaves    .... *2.73* .....    (b) Gable End    .... *0* .....

SANITATION

	M	F
No. of (a) toilets	<i>3+3+3 = 9</i>	<i>6+4+5 = 15</i>
(b) washbasins	<i>6+6+6 = 18</i>	<i>6+6+6 = 18</i>
(c) showers	<i>2...</i>	<i>2...</i>
(d) Urinal	<i>using 1-4 bay + 1=</i>	

Water Tank:

- (a) material:    .... *Galvanized steel* .....
- (b) capacity in litres:    *5,450* ..... *litres* .....
- (c) gravity fed:                          Yes  ..... No .....
- (d) condition:    .... *Good* .....
- (e) comments :    *Inadequate for size of school and toilet facilities.*

KITCHEN FACILITIES

- (a) Approximate size:    *Rear section of hall*
- (b) Equipment:    *2 electric cooking, 1 gas ..... electric not working*  
*1 fridge, 1 freezer, 1 double sink*

Type of cookers:    Gas  ..... Electric  ..... Other (state) .....

(if gas, state no. of days storage)    .... *6 weeks, 1,000 lb. gas bottle* .....

STANDBY POWER

Length of time fuel would last: .....

STORE ROOM

	YES	NO
Minimum 2 cubic metres	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Permanently available	<input type="checkbox"/>	<input type="checkbox"/>
Temporarily available	<input type="checkbox"/>	<input type="checkbox"/>

ECC HURRICANE SHELTERS

NAME OF BUILDING: All Saints Secondary - Class Rooms NO: 2 OF 2

HEIGHT: (a) Stories 2 (b) Metres 8.05

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	<u>29.5</u>	<u>29.5</u>			
Width	<u>7.8</u>	<u>7.8</u>			
Area	<u>230.10</u>	<u>230.10</u>			
Total Area	<u>460.20</u>	Comments: <u>1.91 m walkway</u> <u>There are two identical class room bla</u>			
Approx Value	<u>\$420,000.00</u>				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				<u>Good</u>
1st Floor	<input checked="" type="checkbox"/>				<u>Good</u>
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members		<input checked="" type="checkbox"/>			<u>Good</u>
Secondary "		<input checked="" type="checkbox"/>			<u>Good</u>
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding		<input checked="" type="checkbox"/>			<u>Good</u>

WALLS

	Stone Masonry	Concrete Block	Timber	Other (state)	Condition (G F P)
Exterior		✓			Good
Interior		✓			Good
Thickness		150			

Distance between supports: (a) Vertically (m) 3.38. (b) Horizontally (m) 3.4.

WINDOWS

Size d x b	No	Materials	Condition (G F P)
1.63 x 2.1	8	louvre block	Good
1.63 x 3.4	8	louvre block	
1.63 x 3.4	16	total louvre	Good

HURRICANE SHUTTERS YES: ..... NO: ✓ ..... Condition (G F P)

If required, state whether (sketch preferred):

- YES
- (a) Side hung
  - (b) Top hung
  - (c) Inside hung  *fit shutters to all louvre block panels*
  - (d) Outside hung
  - (e) One leaf
  - (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)
2.1 x 0.92	8	solid x-jeld	Fair to Good

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam <i>Slab</i>
Ground Floor				
1st Floor	460 x 200	100	3.4	1.7
2nd Floor				



ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure	100 x 50 truss	50 x 50	—	24g

Shape:

- (a) Hip
- (b) Gable
- (c) Monopitch
- (d) Flat
- (e) \*Other .....

Slope (°):

- (a) 0° - 12°
- ✓(b) 12° - 25°
- (c) 26° - 35°
- (d) 35°

Fixings:

- (a) Primary .....
- (b) Secondary .....
- (c) Sheeting *Seams alternate*
- (d) \*Comments *congaline* .....

\*Comments/other (state) *Roof leaks* .....

Overhangs (m) (a) Eaves *0.61* ..... (b) Gable End *0.61* .....

SANITATION

M F

- No. of (a) toilets ..... .....
- (b) washbasins ..... .....
- (c) showers ..... .....

Water Tank:

- (a) material: .....
- (b) capacity in litres: .....
- (c) gravity fed: Yes ..... No .....
- (d) condition: .....
- (e) comments : .....

KITCHEN FACILITIES

- (a) Approximate size: *7.2 x 7.2* .....
- (b) Equipment: *5 cookers, 1 fridge, 4 double sinks*  
*Some utensils* .....

Type of cookers: Gas  ..... Electric ..... Other (state) .....  
(if gas, state no. of days storage) *300 lbs gas: Time variable*

STANDBY POWER

Length of time fuel would last: .....

STORE ROOM

- |                        | YES                      | NO                       |
|------------------------|--------------------------|--------------------------|
| Minimum 2 cubic metres | <input type="checkbox"/> | <input type="checkbox"/> |
| Permanently available  | <input type="checkbox"/> | <input type="checkbox"/> |
| Temporarily available  | <input type="checkbox"/> | <input type="checkbox"/> |

ECC HURRICANE SHELTERS

NAME OF BUILDING: *Wylms School Block C* NO: *1* OF *2*

HEIGHT: (a) Stories *1* (b) Metres *2.72*

	Maximum Dimensions (m)				
	Ground Floor	1st	2nd	3rd	4th
Length	<i>42.98</i>				
Width	<i>7.92</i>				
Area	<i>340.58</i>				
Total Area	<i>449.41</i> <del><i>483.60</i></del>	Comments:			
Approx Value	<i>\$460,000.00</i>				

DESCRIPTION OF BUILDING

FRAME:	YES	CONDITION			Comments
		Good(G)	Fair(F)	Poor(P)	
RC Frame	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Steel Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Loadbearing Walls	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Timber Frame	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....
Other (state)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	.....

FLOORS:

	RC	Timber	RC Slab on Struct. Steel	Other (state)	Condition (G F P)
Ground Floor	<input checked="" type="checkbox"/>				<i>Good</i>
1st Floor					
2nd Floor					

ROOF:

Material	RC	Timber	Steel	Other (state)	Condition (G F P)
Primary members		<input checked="" type="checkbox"/>			<i>Good</i>
Secondary "		<input checked="" type="checkbox"/>			<i>Good</i>
	RC	Aluminium	Steel	Other (state)	Condition (G F P)
Cladding		<input checked="" type="checkbox"/>			<i>Good</i>

WALLS

	Stone Masonry	Concrete Block	Timber	Other (state)	Condition (G F P)
Exterior		✓			Good
Interior		✓			Good
Thickness		150			

Distance between supports: (a) Vertically (m) 2.6... (b) Horizontally (m) 4.6.

WINDOWS

Size d x b	No	Materials	Condition (G F P)
152 x 229	R14	Fixed glass pane Aluminum frame	Good
122 x 152	7	Aluminum frame	"
122 x 229	7	Aluminum frame	"

HURRICANE SHUTTERS YES: ..... NO: ..... Condition (G F P)

If required, state whether (sketch preferred):

- YES
- (a) Side hung
  - (b) Top hung
  - (c) Inside hung
  - (d) Outside hung
  - (e) One leaf
  - (f) Two leaves

DOORS

Size d x b	No	Materials	Condition (G F P)
203 x 2081	7	Solid oak finish 1/8 ply wood	Good

- (a) Strength (hinges adequate) YES  NO
- (b) Bolts adequate YES  NO
- (c) Bracing YES  NO

FLOORS

	Depth/Width Beam	Thickness "slab"	Approximate Span Beam	Approximate Span Beam
Ground Floor		100		
1st Floor				
2nd Floor				

ROOF

	Size Primary Member d x b (mm)	Secondary d x b (mm)	Thickness Slab (mm)	Thickness Sheeting (mm)
Structure	150 x 50	100 x 50		0.07

- Shape:                                      Slope (°):                                      Fixings:
- (a) Hip                                      (a) 0° - 12°                                      (a) Primary Bolted to rafter beam
- (b) Gable ✓                                      ✓(b) 12° - 25°                                      (b) Secondary Nailed to rafters.
- (c) Monopitch                                      (c) 26° - 35°                                      (c) Sheeting Sealed to purlins.
- (d) Flat                                      (d) 35°                                      (d) \*Comments .....
- (e) \*Other .....

\*Comments/other (state).....

Overhangs (m)    (a) Eaves ..... 0.41 .....    (b) Gable End ..... 0.41 .....

SANITATION

	M	F
No. of (a) toilets	5	5
(b) washbasins	3	4
(c) showers	1	1
Crimals	4	-

Water Tank:

- (a) material: Reinforced concrete
- (b) capacity in litres: 1,00,000
- (c) gravity fed: Yes ..... No ✓
- (d) condition: Good
- (e) comments: No pump installed

KITCHEN FACILITIES

- (a) Approximate size: 6.1 x 7.6 = 46.36 m<sup>2</sup>
- (b) Equipment: 2 Cookers, 4 Sinks

Type of cookers: Gas ✓ ..... Electric ..... Other (state) .....

(if gas, state no. of days storage) .....

STANDBY POWER

Length of time fuel would last: None

STORE ROOM

	YES	NO
Minimum 2 cubic metres	<input type="checkbox"/>	<input type="checkbox"/>
Permanently available	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Temporarily available	<input checked="" type="checkbox"/>	<input type="checkbox"/>